


DOCUMENTED BAITFISH MAPS

TABLE OF CONTENTS

| | | |
|---------|-------------------------------|----|
| T19R01E | Southern East WRIA 15 Islands | 2 |
| T19R01W | Southern East WRIA 15 Islands | 3 |
| T20R02E | Pt. Fosdick | 4 |
| T20R01E | McNeil Island | 5 |
| T20R01W | Longbranch Peninsula | 6 |
| T21R02E | Wollochet/Gig Harbor | 7 |
| T21R01E | South Carr Inlet | 8 |
| T21R01W | South Case Inlet | 9 |
| T22R02E | Southern Colvos | 10 |
| T22R01E | Henderson Bay/Burley Lagoon | 11 |
| T22R01W | North Case Inlet | 12 |
| T23R02E | Central Colvos Passage | 13 |
| T23R01E | North Colvos Passage | 14 |
| T24R02E | Manchester/ S. Bainbridge | 15 |
| T24R01E | Sinclair Inlet/S. Dyes Inlet | 16 |
| T25R02E | Central Bainbridge Island | 17 |
| T25R01E | N. Dyes Inlet | 18 |
| T26R02E | Port Madison | 19 |
| T26R01E | Liberty Bay | 20 |
| T27R02E | Apple Cove Point | 21 |
| T28R02E | Foulweather Bluff | 22 |



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T19R01E**

- | MARINE RESOURCE DATA | | OTHER SYMBOLOGY | |
|----------------------|--------------------------|-----------------|--------------------|
| | Surf Smelt Spawning Area | | Township Lines |
| | Sandlance Spawning Area | | Section Lines |
| | Rocksole Spawning Area | | Rivers and Streams |
| | Herring Spawning Area | | |
| | Herring Holding Area | | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T19R01W**

| MARINE RESOURCE DATA | | OTHER SYMBOLOGY | |
|----------------------|--------------------------|-----------------|--------------------|
| | Surf Smelt Spawning Area | | Township Lines |
| | Sandlance Spawning Area | | Section Lines |
| | Rocksole Spawning Area | | Rivers and Streams |
| | Herring Spawning Area | | |
| | Herring Holding Area | | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T20R02E**

| MARINE RESOURCE DATA | OTHER SYMOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T20R01E**

| MARINE RESOURCE DATA | | OTHER SYMBOLOLOGY | |
|----------------------|--------------------------|-------------------|--------------------|
| | Surf Smelt Spawning Area | | Township Lines |
| | Sandlance Spawning Area | | Section Lines |
| | Rocksole Spawning Area | | Rivers and Streams |
| | Herring Spawning Area | | |
| | Herring Holding Area | | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T20R01W**

- | MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T21R02E**

- | MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T21R01E**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T21R01W**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T22R02E**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T22R01E**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T22R01W**

| MARINE RESOURCE DATA | OTHER SYMOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T23R02E**

| MARINE RESOURCE DATA | OTHER SYMBOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T23R01E**

| MARINE RESOURCE DATA | OTHER SYMOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T24R02E**

| MARINE RESOURCE DATA | OTHER SYMBOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T24R01E**

| MARINE RESOURCE DATA | | OTHER SYMBOLOLOGY | |
|----------------------|--------------------------|-------------------|--------------------|
| | Surf Smelt Spawning Area | | Township Lines |
| | Sandlance Spawning Area | | Section Lines |
| | Rocksole Spawning Area | | Rivers and Streams |
| | Herring Spawning Area | | |
| | Herring Holding Area | | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T25R02E**

| MARINE RESOURCE DATA | OTHER SYMOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T25R01E**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T26R01E**

| MARINE RESOURCE DATA | OTHER SYMBOLLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T27R02E**

| MARINE RESOURCE DATA | OTHER SYMBOLOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).




Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.



**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SURF SMELT, SANDLANCE, ROCKSOLE
AND HERRING INFORMATION FOR T28R02E**

| MARINE RESOURCE DATA | OTHER SYMBOLOGY |
|--------------------------|--------------------|
| Surf Smelt Spawning Area | Township Lines |
| Sandlance Spawning Area | Section Lines |
| Rocksole Spawning Area | Rivers and Streams |
| Herring Spawning Area | |
| Herring Holding Area | |

PLEASE NOTE
The spawning information for surf smelt and rocksole are offset from the shoreline for display purposes only. The typical depths for herring spawning are +3 feet to -20 feet (MLLW).



Map Scale - 1 : 63360 Date: October 20, 2000
Coordinate System - State Plane South Zone 5626 (NAD27)
Cartography by WDFW Habitat Program GIS

DISCLAIMER
This map only includes information that Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of resources.

Much of this information is based on field surveys by WDFW biologists, however some portions come from other organizations or individuals. This information has been generalized for the release to the general public. To insure appropriate use or for more specific information, users are encouraged to consult with WDFW biologists.

MAIN DATA SOURCES
Marine Resource Data: WDFW Fish Program, Marine Resources Division.
1:100,000 quadrangle image: US Geological Survey.